

WHITE GREASE SPRAY

Features

- maintenance grease for long-term lubrication
- corrosion protection
- very good adhesion
- lubricates moving parts and sliding surfaces
- hydrophobic
- conducts electricity
- silicone-free
- resistant to water, salt water, as well as weak acids and bases
- 360° -valve, can be used upside down

Areas of application

For long-lasting lubrication of highly-loaded slide, anti-friction and joint bearings, spindles and guides on engine and machine parts as well as for hinges, door retaining straps, lock cylinders and much more. Also suitable as assembly paste and battery terminal grease.

TechnicalData

Colours	white
Shelf life	36 Months
Temperature Resistance	-30 - +120

Usage Instructions

Shake can well before use. Spray an even coat of PETEC grease spray on the surfaces to be lubricated from a distance of 20 cm and mount the parts as required. Check on beforehand if compatible with the material. Always conduct your own tests to ensure that the product is suitable for each application. Read the safety and technical data sheet! (Download the PETEC data sheets from www.petec.de)

Package Sizes



Item no.: 70250

500 ml

Our technical application advice, whether verbal, in writing, or based on tests, is provided to the best of our current knowledge. However, it does not release you from the obligation to independently verify the suitability of the products we supply for the intended processes and purposes. The application, use, and processing of the products are beyond our control and therefore fall solely within your area of responsibility.